

Claim Amendments

Please cancel claims 24-27, 30, and 31 as follows:

1. (original) A spin-coating system comprising a supply of process solution in fluid communication with a dispenser through a dispense line, and a pressure sensor that measures pressure of the process solution in the dispense line at a time related to a step of dispensing the process solution, to control timing of a subsequent spin-coating process step.
2. (original) The system of claim 1 wherein the pressure sensor comprises a pressure transducer.
3. (original) The system of claim 1 comprising a dispense valve between the supply of process solution and the dispenser, and the pressure sensor is between the dispense valve and the dispenser.
4. (original) The system of claim 1 wherein the pressure sensor detects a beginning or end of process solution being dispensed from the dispenser.
5. (original) The system of claim 1 further comprising a control system for controlling a spin-coating process, wherein the pressure sensor detects a beginning or end of process solution dispense from the dispenser, and the pressure sensor sends a signal to the control system at a detected beginning or at a detected end of process solution dispense.
6. (original) The system of claim 5 wherein the process solution is a photoresist solution and the pressure sensor signals the control system at a detected end of photoresist solution dispense.

7. (original) The system of claim 5 wherein the process solution is a developer solution and the control pressure sensor signals the control system at a detected start of developer solution dispense.

8. (original) The system of claim 1 wherein the process solution is selected from the group consisting of a photoresist, a developer, a solvent, and deionized water.

9. (original) A spin-coating system comprising:
a turntable to support and rotate a substrate;
a dispenser moveable between a dispensing position and a non-dispensing position;
a supply of process solution in fluid communication with the dispenser through a dispense line;
a pressure sensor that measures pressure of the process solution;
a process control system that controls application of the process solution to the substrate, the process control system being programmed to interrupt serial control to execute a process command.

10. (previously presented) The system of claim 9 wherein
the system comprises a dispense valve between the supply of process solution and the dispenser,
the pressure sensor measures pressure of the process solution in the dispense line, and
the pressure sensor is between the dispense valve and the dispenser.

11. (original) The system of claim 9 wherein the process solution is chosen from the group consisting of a photoresist solution and a developer solution.

12. (original) The system of claim 9 wherein the pressure sensor sends a signal to the control system at the beginning or the end of dispense of the process solution, and the control system interrupts control of the process.

13. (original) The system of claim 12 wherein the process solution is a photoresist solution and the pressure sensor sends a signal to the control system at an end of photoresist solution dispense.

14. (original) The system of claim 12 wherein the process solution is a developer solution and the pressure sensor sends a signal to the control system at the start of developer solution dispense.

15. (original) The system of claim 9 wherein the process solution is selected from the group consisting of a photoresist, a developer, deionized water, and a solvent.

16-31. (canceled)